Neuroscience Letters, 127 (1991) 255–258
Elsevier Scientific Publishers Ireland Ltd.

AUTHOR INDEX

Abe, H., Rusak, B. and Robertson, H.A., Photic induction of Fos protein in the suprachiasmatic nucleus is inhibited by the NMDA receptor antagonist MK-801, 9
Abe, T., see Tohgi, H., 212
Ackermann, H., Dichgans, J. and Guschlbauer, B., Influence of an acoustic preparatory signal on postural reflexes of the distal leg muscles in humans, 242
Airaksinen, M., see Alhainen, K., 113
Albrecht, J., Simmons, M., Dutton, G.R. and Norenberg, M.D., Aluminum chloride stimulates the release of endogenous glutamate, taurine and adenosine from cultured rat cortical astrocytes, 105
Alhainen, K., Partanen, J., Reinikainen, K., Laulumaa, V., Soininen, H., Airaksinen, M. and Riekkinen, P., Discrimination of tetrahydroaminoacridine responders by a single dose pharmaco-EEG in patients with Alzheimer's disease, 113
Anastasio, T.J. and Robinson, D.A., Failure of the oculomotor neural integrator from a discrete midline lesion between the abducens nuclei in the monkey, 82
Andres, K.H., see Von Düring, M., 121
Antonova, L.V., see Potaman, V.N., 133
Aoki, M., see Fujito, Yu., 137
Armstrong, R.A., Myers, D. and Smith, C.U.M., Alzheimer's disease: size class frequency distribution of senile plaques: do they indicate when a brain tissue was affected?, 223
Aubert, I., see Tison, F., 203
Aulanko, R., see Sams, M., 141

Baralle, F.E., see Borsani, G., 117
Bar-Peled, O., Gross-Isseroff, R., Ben-Hur, H., Hoskins, I., Groner, Y. and Biegon, A., Fetal human brain exhibits a prenatal peak in the density of serotonin 5-HT_{1A} receptors, 173
Baskys, A., Carlen, P.L. and Wojtowicz, J.M., Long-term potentiation of synaptic responses in the rat dentate gyrus is due to increased quantal content, 169
Ben-Ari, Y., see Tremblay, E., 21
Ben-Hur, H., see Bar-Peled, O., 173
Biegon, A., see Bar-Peled, O., 173
Bischoff, C., see Klingelhöfer, J., 77
Bisiani, C., see Giudici, A.M., 219
Blanc, G., see Trovero, F., 198
Bloch, B., see Tison, F., 203
Bonadonna, A.M., see Lakoski, J.M., 181
Boorman, G., Hulliger, M., Lee, R.G., Tako, K. and Tanaka, R., Reciprocal Ia inhibition in patients with spinal spasticity, 57
Borsani, G., Pizzuti, A., Rugarli, E.I., Falini, A., Scarlato, G., Baralle, F.E. and Silani, V., Human fetal brain β-nerve growth factor cDNA: molecular cloning of 5′ and 3′ untranslated regions, 117
Busto, R., see Globus, M.Y. -T., 39

Carlen, P.L., see Baskys, A., 169
Carter, R.B. and Francis, W.R., Capsaicin desensitization to plasma extravasation evoked by antidromic C-fiber stimulation is not associated with antinociception in the rat, 43
Castillo., J.L., see Castroviejo, D.A., 227
Castroviejo, D.A., Del Aguila, C.M., Fernández, B., Gomar, M.D. and Castillo., J.L., Pinealectomy increases ouabain high-affinity binding sites and dissociation constant in rat cerebral cortex, 227
Caulfield, M.P., Muscarinic receptor-mediated inhibition of voltage-activated Ca current in neuroblastoma × glioma hybrid (NG 108-15) cells — reduction of muscarinic agonist and antagonist potency by tetraethylammonium (TEA), 165
Cederqvist, B., Wiklund, N.P., Persson, M.G. and Gustafsson, L.E., Modulation of neuroeffector transmission in the guinea pig pulmonary artery by endogenous nitric oxide, 67
Chang, H.-M., see Lee, C.-M., 237
Chattarji, S., see Stanton, P.K., 61
Choang, T.F., see Lee, C.-M., 237
Chui, K.-Y., see Lee, C.-M., 237
Clementi, F., see Giudici, A.M., 219
Coderre, T.J., see Gonzales, R., 25
Conrad, B., see Klingelhöfer, J., 77
Corvisier, J., see Hardy, O., 99
Crane, A.M., see Porrino, L.J., 155

Dacko, S. and Schneider, J.S., Met-enkephalin immunoreactivity in the basal ganglia in symptomatic and asymptomatic MPTP-exposed monkeys: correlation with degree of parkinsonian symptoms, 49
Dakshinamurti, K., Sharma, S.K. and Sundaram, M., Domoic acid induced seizure activity in rats, 193
Das, N.P., see Shahi, G.S., 247
De Kar, L.D.V., see Lakoski, J.M., 181
Del Aguila, C.M., see Castroviejo, D.A., 227
Desole, M.S., Miele, M., Enrico, P., Esposito, G., Fresu, L., Natale, G.D. and Miele, E., Investigations into the relationship between the dopaminergic system and ascorbic acid in rat striatum, 34
Dichgans, J., see Ackermann, H., 242
Diehl, B., see Diehl, R.R., 5
Diehl, R.R., Diehl, B., Sitzer, M. and Hennerici, M., Spontaneous oscillations in cerebral blood flow velocity in normal humans and in patients with carotid artery disease, 5
Dubynin, V.A., see Potaman, V.N., 133
Dutton, G.R., see Albrecht, J., 105

Enrico, P., see Desole, M.S., 34
Esposito, G., see Desole, M.S., 34
Evans, S., see Henderson, Z., 73

Falini, A., see Borsani, G., 117
Fedirchuk, B., see Hochman, S., 87
Felix, D., see Van Leeuwen, F.W., 207
Fernández, B., see Castroviejo, D.A., 227
Francis, W.R., see Carter, R.B., 43
Fresu, L., see Desole, M.S., 34
Fritzsch, B., see Manns, M., 150
Fujita, K., see Nagatsu, I., 91
Fujito, Yu., Imai, T. and Aoki, M., Monosynaptic excitation of motoneurons innervating forelimb muscles following stimulation of the red nucleus in cats, 137
Fukuda, J., see Morikawa, T., 16
Furukawa, S., see Ishikawa, R., 70

Ginsberg, M.D., see Globus, M.Y. -T., 39
Giudici, A.M., Bisiani, C., Zanini, A. and Clementi, F., Small GTP-binding proteins in human neuroblastoma cell lines, 219
Globus, M.Y. -T., Ginsberg, M.D. and Busto, R., Excitotoxic index — a biochemical marker of selective vulnerability, 39
Glowinski, J., see Trovero, F., 198
Gomar, M.D., see Castroviejo, D.A., 227

Gomi, S., see Tanaka, K., 129
Gonzales, R., Coderre, T.J., Sherbourne, C.D. and Levine, J.D., Postnatal development of neurogenic inflammation in the rat, 25
Gotoh, F., see Tanaka, K., 129
Granato, A., Santarelli, M. and Minciacchi, D., Bihemispheric organization of amygdalo-cortical projections in the rat, 53
Griguer, C., see Valat, J., 231
Groner, Y., see Bar-Peled, O., 173
Gross-Isseroff, R., see Bar-Peled, O., 173
Guerrero, J.M., see Rubio, A., 13
Guschlbauer, B., see Ackermann, H., 242
Gustafsson, L.E., see Cederqvist, B., 67

Hämäläinen, M., see Sams, M., 141
Hardy, O. and Corvisier, J., GABA and non-GABA immunostained neurones in the nucleus prepositus and the periparabigeminal area projecting to the guinea pig superior colliculus, 99
Hari, R., see Sams, M., 141
Harrison, P.S. and Kilpatrick, I.C., Hippocampal slices do not appear to accumulate low micromolar concentrations of quisqualate by an active uptake mechanism, 177
Henderson, Z. and Evans, S., Presence of a cholinergic projection from ventral striatum to amygdala that is not immunoreactive for NGF receptor, 73
Hennerici, M., see Diehl, R.R., 5
Hervé, D., see Trovero, F., 198
Hochman, S., Fedirchuk, B. and Shefchyk, S.J., Membrane electrical properties of external urethral and external anal sphincter somatic motoneurons in the decerebrate cat, 87
Hon, P.-M., see Lee, C.-M., 237
Hoskins, I., see Bar-Peled, O., 173
Howlett, A.C., see O'Donnell, K.A., 46
Hulliger, M., see Boorman, G., 57

Imai, T., see Fujito, Yu., 137
Imboden, H., see Van Leeuwen, F.W., 207
Inatomi, H., see Koda, Y., 31
Inostroza, H., see Pérez, H., 251
Ishikawa, R., Nishikori, K. and Furukawa, S., Appearance of nerve growth factor and acidic fibroblast growth factor with different time courses in the cavity-lesioned cortex of the rat brain, 70
Izumi, F., see Koda, Y., 31

Jaber, M., see Tison, F., 203
Jiménez, J., see Rubio, A., 13

Kamensky, A.A., see Potaman, V.N., 133
Kaneda, N., see Nagatsu, I., 91
Karasawa, N., see Nagatsu, I., 91
Katsuki, M., see Nagatsu, I., 91
Keino, K., see Morikawa, T., 16
Kikuchi, T., see Tohgi, H., 212
Kilpatrick, I.C., see Harrison, P.S., 177
Kimura, I., Kondoh, T., Tsuneki, H. and Kimura, M., Reversed effect of caffeine on non-contractile and contractile Ca^2 mobilization operated by acetylcholine receptor in mouse diaphragm muscle, 28
Kimura, M., see Kimura, I., 28
Klingelhöfer, J., Bischoff, C., Sander, D., Wittich, I. and Conrad, B., Do brief bursts of spike and wave activity cause a cerebral hyper- or hypoperfusion in man?, 77
Kobayashi, H., see Koda, Y., 31
Kobayashi, K., see Nagatsu, I., 91
Koda, Y., Uezono, Ya., Kobayashi, H., Izumi, F., Inatomi, H., Yamada, Y. and Okamura, T., Protein kinase C in human pheochromocytoma, 31
Kondoh, T., see Kimura, I., 28

Lakoski, J.M., Rittenhouse, P.A., Bonadonna, A.M. and De Kar, L.D.V., Acute, but not repeated, cocaine administration decreases renin secretion in the conscious male rat, 181
Lassmann, H., see Zimprich, F., 125
Laulumaa, V., see Alhainen, K., 113
Lee, C.-M., Wong, H.N.C., Chui, K.-Y., Choang, T.F., Hon, P.-M. and Chang, H.-M., Miltirone, a central benzodiazepine receptor partial agonist from a Chinese medicinal herb *Salvia Miltiorrhiza*, 237
Lee, R.G., see Boorman, G., 57
Lehouelleur, J., see Valat, J., 231
Levine, J.D., see Gonzales, R., 25
Lounasmaa, O.V., see Sams, M., 141
Lu, S.-T., see Sams, M., 141

Manns, M. and Fritzsch, B., The eye in the brain: retinoic acid effects morphogenesis of the eye and pathway selection of axons but not the differentiation of the retina in *Xenopus laevis*, 150
Martin, J.H., Autoradiographic estimation of the extent of reversible inactivation produced by microinjection of lidocaine and muscimol in the rat, 160
Meijer, J.H., see Vries, M.J.D., 215
Miele, E., see Desole, M.S., 34
Miele, M., see Desole, M.S., 34
Mihara, B., see Tanaka, K., 129
Minciacchi, D., see Granato, A., 53
Molinero, P., see Rubio, A., 13
Møllgård, K., see Moos, T., 1
Moochhala, S.M., see Shahi, G.S., 247
Moos, T., Stagaard, M. and Møllgård, K., Immunocytochemical evidence for retrograde axonal transport of exogenous albumin in adult rat brain stem motor neurons, 1
Morikawa, T., Odagawa, Ya., Keino, K. and Fukuda, J., New plastic plates which enhance neurite extension in culture: roles of bisphenol-A and tricyclodecanyl units for growth and orientation of neurites on plastic plates with microstructures, 16
Myasoedov, N.F., see Potaman, V.N., 133
Myers, D., see Armstrong, R.A., 223

Nagata, E., see Tanaka, K., 129
Nagatsu, I., Yamada, K., Karasawa, N., Sakai, M., Takeuchi, T., Kaneda, N., Sasaoka, T., Kobayashi, K., Yokoyama, M., Nomura, T., Katsuki, M., Fujita, K. and Nagatsu, T., Expression in brain sensory neurons of the transgene in transgenic mice carrying human tyrosine hydroxylase gene, 91
Nagatsu, T., see Nagatsu, I., 91
Natale, G.D., see Desole, M.S., 34
Nezavibatko, V.N., see Potaman, V.N., 133
Nishikori, K., see Ishikawa, R., 70
Nogawa, S., see Tanaka, K., 129
Nomura, T., see Nagatsu, I., 91
Norenberg, M.D., see Albrecht, J., 105
Normand, E., see Tison, F., 203
Nozaki, Yu., see Tohgi, H., 212
Nurminen, M.-L., Paakkari, I. and Seppälä, T., Serotonergic involvement in the cardiovascular stimulation by thyrotropin-releasing hormone (TRH) in anesthetized rats, 147

Odagawa, Ya., see Morikawa, T., 16

O'Donnell, K.A. and Howlett, A.C., Muscarinic receptor binding is inhibited by quinacrine, 46
Okamura, T., see Koda, Y., 31
Osuna, C., see Rubio, A., 13

Paakkari, I., see Nurminen, M.-L., 147
Partanen, J., see Alhainen, K., 113
Pelletier, G. and Simard, J., Dopaminergic regulation of pre-proNPY mRNA levels in the rat arcuate nucleus, 96
Pérez, H., Ruiz, S., Inostroza, H. and Perretta, M., Neonatal capsaicin treatment impairs functional properties of primary olfactory afferents in the rat, 251
Perretta, M., see Pérez, H., 251
Persson, M.G., see Cederqvist, B., 67
Pizzuti, A., see Borsani, G., 117
Pontieri, F.E., see Porrino, L.J., 155
Porrino, L.J., Viola, J.J., Crane, A.M. and Pontieri, F.E., Alterations in opiate receptor binding in MPTP-induced hemiparkinsonian monkeys, 155
Potaman, V.N., Antonova, L.V., Dubynin, V.A., Zaitzev, D.A., Kamensky, A.A., Myasoedov, N.F. and Nezavibatko, V.N., Entry of the synthetic ACTH(4–10) analogue into the rat brain following intravenous injection, 133

Rassin, D., see Sellström, Å., 189
Reinikainen, K., see Alhainen, K., 113
Riekkinen, P., see Alhainen, K., 113
Rittenhouse, P.A., see Lakoski, J.M., 181
Robertson, H.A., see Abe, H., 9
Robinson, D.A., see Anastasio, T.J., 82
Rubio, A., Osuna, C., Jiménez, J., Molinero, P. and Guerrero, J.M., In vivo activation of pineal *N*-acetyltransferase but not type II thyroxine 5′-deiodinase by phenylephrine in young rats, 13
Rugarli, E.I., see Borsani, G., 117
Ruiz, S., see Pérez, H., 251
Rusak, B., see Abe, H., 9

Sakai, M., see Nagatsu, I., 91
Sams, M., Aulanko, R., Hämäläinen, M., Hari, R., Lounasmaa, O.V., Lu, S.-T. and Simola, Juha, Seeing speech: visual information from lip movements modifies activity in the human auditory cortex, 141
Sander, D., see Klingelhöfer, J., 77
Sans, A., see Valat, J., 231
Santarelli, M., see Granato, A., 53
Sasaoka, T., see Nagatsu, I., 91
Scarlato, G., see Borsani, G., 117
Schneider, J.S., see Dacko, S., 49
Sejnowski, T.J., see Stanton, P.K., 61
Sellström, Å. and Rassin, D., On the inhibition of GABA release from a preparation of rat brain nerve-endings by SKF 89976-A, a GABA uptake inhibitor, 189
Seppälä, T., see Nurminen, M.-L., 147
Shahi, G.S., Das, N.P. and Moochhala, S.M., 1-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine-induced neurotoxicity: partial protection against striato-nigral dopamine depletion in C57BL/6J mice by cigarette smoke exposure and by β-naphthoflavone-pretreatment, 247
Sharma, S.K., see Dakshinamurti, K., 193
Shefchyk, S.J., see Hochman, S., 87
Sherbourne, C.D., see Gonzales, R., 25
Shirai, T., see Tanaka, K., 129
Sieghart, W., see Zimprich, F., 125
Silani, V., see Borsani, G., 117
Simard, J., see Pelletier, G., 96
Simmons, M., see Albrecht, J., 105
Simola, Juha, see Sams, M., 141
Sitzer, M., see Diehl, R.R., 5
Sluiter, A.A., see Van Leeuwen, F.W., 207
Smith, C.U.M., see Armstrong, R.A., 223
Soininen, H., see Alhainen, K., 113
Stagaard, M., see Moos, T., 1
Stanton, P.K., Chattarji, S. and Sejnowski, T.J., 2-Amino-3-phosphonopropionic acid, an inhibitor of glutamate-stimulated phosphoinositide turnover, blocks induction of homosynaptic long-term depression, but not potentiation, in rat hippocampus, 61
Sundaram, M., see Dakshinamurti, K., 193

Takahashi, S., see Tohgi, H., 212
Takashima, S., see Tanaka, K., 129
Takeuchi, T., see Nagatsu, I., 91
Tako, K., see Boorman, G., 57
Tanaka, K., Gotoh, F., Gomi, S., Takashima, S., Mihara, B., Shirai, T., Nogawa, S. and Nagata, E., Inhibition of nitric oxide synthesis induces a significant reduction in local cerebral blood flow in the rat, 129
Tanaka, R., see Boorman, G., 57
Tassin, J.-P., see Trovero, F., 198
Thanos, S., Specific transcellular carbocyanine-labelling of rat retinal microglia during injury-induced neuronal degeneration, 108
Tison, F., Normand, E., Jaber, M., Aubert, I. and Bloch, B., Aromatic L-amino-acid decarboxylase (DOPA decarboxylase) gene expression in dopaminergic and serotoninergic cells of the rat brainstem, 203
Tohgi, H., Abe, T., Takahashi, S., Nozaki, Yu. and Kikuchi, T., Concentrations of tyrosine, L-dihydroxyphenylalanine, dopamine, and 3-*O*-methyldopa in the cerebrospinal fluid of Parkinson's disease, 212
Tremblay, E., Zini, S. and Ben-Ari, Y., Autoradiographic study of the cellular localization of [^{3}H]glibenclamide binding sites in the rat hippocampus, 21
Trovero, F., Hervé, D., Blanc, G., Glowinski, J. and Tassin, J.-P., Different regulations of dopaminergic (D_1) receptors and neurotensinergic binding sites in the rat prefrontal cortex, 198
Tsuneki, H., see Kimura, I., 28

Uezono, Ya., see Koda, Y., 31

Valat, J., Griguer, C., Lehouelleur, J. and Sans, A., Motile responses of isolated guinea pig vestibular hair cells, 231
Van Heerikhuize, J.J., see Van Leeuwen, F.W., 207
Van Leeuwen, F.W., V.d. Beek, E.M., Van Heerikhuize, J.J., Sluiter, A.A., Felix, D. and Imboden, H., Vasopressin and angiotensin II are absent but spontaneously reappear in solitary hypothalamic neurons of the homozygous Brattleboro rat, 207
V.d. Beek, E.M., see Van Leeuwen, F.W., 207
Viola, J.J., see Porrino, L.J., 155
Von Düring, M. and Andres, K.H., Sensory nerve fiber terminals in the arachnoid granulations of non-human primates, 121
Vries, M.J.D. and Meijer, J.H., Aspartate injections into the suprachiasmatic region of the Syrian hamster do not mimic the effects of light on the circadian activity rhythm, 215

Wiberg, M. and Widenfalk, B., An anatomical study of the origin of sympathetic and sensory innervation of the elbow and knee joint in the monkey, 185
Widenfalk, B., see Wiberg, M., 185

Wiklund, N.P., see Cederqvist, B., 67
Wittich, I., see Klingelhöfer, J., 77
Wojtowicz, J.M., see Baskys, A., 169
Wong, H.N.C., see Lee, C.-M., 237

Yamada, K., see Nagatsu, I., 91
Yamada, Y., see Koda, Y., 31
Yokoyama, M., see Nagatsu, I., 91

Zaitzev, D.A., see Potaman, V.N., 133
Zanini, A., see Giudici, A.M., 219
Zezula, J., see Zimprich, F., 125
Zimprich, F., Zezula, J., Sieghart, W. and Lassmann, H., Immunohistochemical localization of the α_1, α_2 and α_3 subunit of the $GABA_A$ receptor in the rat brain, 125
Zini, S., see Tremblay, E., 21

ANNOUNCEMENT

The *3rd International Congress of the International Society of Neuroimmunology* will be held in Jerusalem, Israel, from October 27 to November 1, 1991.

For further information: Secretariat ISNI
P.O. Box 50006
61500 Tel Aviv
Israel
Tel. 972 3 654571
Fax 972 3 655674
Tlx. 341171 KENS IL

CONTENTS *(continued from back cover)*

1-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine-induced neurotoxicity: partial protection against striato-nigral dopamine depletion in C57BL/6J mice by cigarette smoke exposure and by β-naphthoflavone-pretreatment
G.S. Shahi, N.P. Das and S.M. Moochhala (Singapore) 247
Neonatal capsaicin treatment impairs functional properties of primary olfactory afferents in the rat
H. Pérez, S. Ruiz, H. Inostroza and M. Perretta (Chile) 251

Author Index 255